



LTE/GNSS ANTENNA

Antenna LTE/GNSS Magnet Mount 305L,
2x FAKRA, RG174/0.5m

AO-AKOM-B305LFF05

SECTRON company offers a wide portfolio of LTE/GNSS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Low VSWR
- High power supply range
- Easy installation




Technology	LTE/GNSS
Frequency bands	900/1800/1900/2100/1575.42 MHz
Bandwidth	5 MHz
Gain	0/28 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear/R.H.C.P.
Maximum input power	10 W
Power voltage	2.2 – 5 V DC
Dimensions	Ø81.6 x 14.5 mm
Weight	148.28 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Magnet Mount
Cable type	2 x RG174
The cable length	2 x 50 cm
Connector type	2 x FAKRA(f)

DRAWING






UNIT: mm

GPS Antenna



GSM Antenna



CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 020