



GSM ANTENNA

Antenna GSM Mounting, 5 dBi, FME

AM-AGSM-MS5F

SECTRON company offers a wide portfolio of GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Flexible
- Omnidirectional - suitable for moving devices
- Environmental resistance



Technology	GSM
Frequency bands	800/900/1800/1900 MHz
Bandwidth	-
Gain	5 dBi
VSWR	<3.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	-
Power voltage	-
Dimensions	305 x \varnothing 9.5 mm
Weight	260 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Mounting
Cable type	RG58/U
The cable length	4.6 m
Connector type	FME

DRAWING



VARIANTS

AM-AGSM-MS5F

Different connector variants or cable lengths are available on request.

CONTACTSFEATURES

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021