

dem GLONASS & Bluetooth RFID G A G LTE H G GSM Wi-Fi J An s S Router J Antenna lot Ante etooth RFID & RF cables GSM Mi-Fi & GPS Router M2 SM Wi-Fi & GPS Router M2 Antenna lot M GLONASS & oden Intenna Java Modem GLONASS & oden

WIFI ANTENNA

Antenna WiFi OMNI 2410, 2.4 GHz, 10 dBi, N(f)

AO-1GF-2410

SECTRON company offers a wide portfolio of WIFI antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.





BENEFITS

- Low VSWR
- High gain
- Environmental resistance

Technology	WiFi
Frequency bands	2.4 GHz
Bandwidth	-
Gain	10 dBi
VSWR	<1.3:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 10°
Polarization	Linear
Maximum input power	50 W
Power voltage	-
Dimensions	68 x 51 x 890 mm
Weight	554.42 g
Operating temperature	-40 to +80 °C
Execution	External
Method of attachment	Mounting
Cable type	-
The cable length	-
Connector type	N(f)

DRAWING





ALL VARIANTS

AO-1GF-2410

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12 709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ Tel.: +420 556 621 021