

Antenna Java Modem GLONASS & Bluetooth RFID

WIFI ANTENNA

Antenna WiFi OMNI 2415, 2.4 GHz, 15 dBi, N(f)

AO-1GF-2415

SECTRON company offers a wide portfolio of WiFi antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.

BENEFITS

- Low VSWR
- High gain
- Environmental resistance





Rout

6


Technology	WiFi
Frequency bands	2.4 GHz
Bandwidth	-
Gain	15 dBi
VSWR	<1.3:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 6°
Polarization	Linear
Maximum input power	50 W
Power voltage	-
Dimensions	1140 x 26 mm
Weight	860 g
Operating temperature	-40 to +80 °C
Execution	External
Method of attachment	Mounting
Cable type	-
The cable length	-
Connector type	N(f)

DRAWING






Vertical E-plane co-pol ------ 3-dB beam-with=6°



Horizontal H-plane co-pol ------ 3-dB beam-with=360°



Return loss

V.S.W.R

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12 709 00 Ostrava 9, Czech Republic