

A GENASS & Bluetooth RFID A GENASS & Bluetooth RFID S C Router & Antenna lot Antenna lot & GPS Router M Antenna lot & GLONASS UMTS Antenna Java Modem GLONASS & Bluetooth M2M G LTE

WLAN ANTENNA

Antenna WIFI OMNI, 5.1-5.9 GHz, 10 dBi, N(f)

Rout

AO-1GF-51810


SECTRON company offers a wide portfolio of WLAN antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.

BENEFITS


- Low VSWR
- Optimized high, all weather operation
- Frequency Gain


Technology	WiFi
Frequency bands	5.1-5.9 GHz
Bandwidth	-
Gain	10 dBi
VSWR	< 1.5:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 11°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	407 x 70 x 50 mm
Weight	370 g
Operating temperature	-20°C to +60 °C
Execution	External
Method of attachment	Mounting
Cable type	-
The cable length	-
Connector type	N (f)

DRAWING



Unit: mm





CONTACTS