



## GSM ANTENNA

Antenna GSM Magnetic 25,  
2.5 dBi, FME(f), RG174/3m

AO-AGSM-MG2F

SECTRON company offers a wide portfolio of GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


### BENEFITS

- Easy installation
- Omnidirectional - suitable for moving devices



Technology	GSM
Frequency bands	900, 1800 MHz
Bandwidth	-
Gain	2.5 dBi
VSWR	<2.5:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Vertical
Maximum input power	10 W
Power voltage	-
Dimensions	26.7 x 116.7 mm
Weight	45 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG174/U
The cable length	3 m
Connector type	FME (f)

## DRAWING



## ALL VARIANTS

## AO-AGSM-MG2F

Different connector variants or cable lengths are available on request.

## CONTACTS



VARIANT	PART NUMBER
Anténa GSM Magnetic 25, 2.5 dBi, SMA(m), RG174/2.5m	AO-AGSM-MG2S
Anténa GSM Magnetic 25, 2.5dBi, SMA(m), RG174 5m	AO-AGSM-MG25

## CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12  
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
Tel.: +420 556 621 021