



GSM/UMTS ANTENNA

Antenna GSM/UMTS Magnetic
90, Quad-band, 9 dBi, SMA(m),
RG195/10m

AO-AGSM-MG9S10

SECTRON company offers a wide portfolio of GSM/UMTS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Low VSWR
- High Gain
- Easy installation



Technology	GSM/UMTS
Frequency bands	900/1800/2100 MHz
Bandwidth	-
Gain	9 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H-360° V-30°
Polarization	Linear
Maximum input power	10W
Power voltage	-
Dimensions	420 x Ø 70 mm
Weight	476.7 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG195/U
The cable length	10 m
Connector type	SMA(m)
Certification	ISO 9001 / ISO 14001

DRAWING



Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021