



# GSM ANTENNA

Antenna GSM Mounting,  
3 dBi, RG58/4.5m, FME(f)

AO-AGSM-MI3F

SECTRON company offers a wide portfolio of GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.

## BENEFITS

- Low VSWR
- Omnidirectional - suitable for moving devices




## FEATURES

AO-AGSM-MI3F


Technology	GSM
Frequency bands	900/1800 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	140 x 30 mm
Weight	205.15 g
Operating temperature	-30 to +80 °C
Execution	External
Method of attachment	Mounting
Cable type	RG58/U
The cable length	4.5 m
Connector type	FME (f)

## DRAWING




Far-field amplitude for 900 MHz

E - plane




H - plane




Far-field amplitude for 1 800 MHz

E - plane



H - plane



Different connector variants or cable lengths are available on request.



VARIANT	PART NUMBER

## CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12  
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
Tel.: +420 556 621 021