

GSM ANTENNA

Antenna GSM Mounting, 3 dBi, RG58/4.5m, SMA(m)

AO-AGSM-MI3S

SECTRON company offers a wide portfolio of GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Low VSWR
- Omnidirectional suitable for moving devices



Technology	GSM
Frequency bands	900/1800 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<2.0: 1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10W
Power voltage	-
Dimensions	140 x 30 mm
Weight	213.75 g
Operating temperature	-30 to +90 ° C
Execution	External
Method of attachment	Mounting
Cable type	RG58/U
The cable length	4.5 m
Connector type	SMA(m)


DRAWING




SIMULATED GRAFS AO-AGSM-MI3S

Far-field amplitude for 900 MHz









Far-field amplitude for 1800 MHz

rai-field amplitude for 1 800 MHz





ALL VARIANTS AO-AGSM-MI3S

Different connector variants or cable lengths are available on request.

CONTACTS