



GSM/UMTS ANTENNA

Antenna GSM/UMTS Stick 90°,
Dual-Band, 2 dBi, SMA90°(m)

AO-AGSM-SMRS

SECTRON company offers a wide portfolio of GSM/UMTS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.


BENEFITS

- Low VSWR
- No cable required




Technology	GSM/UMTS
Frequency bands	800/900/1800/1900/2100 MHz
Bandwidth	-
Gain	2 dBi
VSWR	<2.5:1
Impedance	50 Ohm
Directivity	Omni-directional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	1 W
Power voltage	-
Dimensions	53.5 x 16.8 x 7 mm
Weight	6.96 g
Operating temperature	-30 to +70 °C
Execution	External
Method of attachment	Screw
Cable type	-
The cable length	-
Connector type	SMA90°(m)

DRAWING




Unit: mm

VSWR – STANDING WAVE RATIO [-]



S₁₁ – RETURN LOSS [dB]



CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/2
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 020