



LTE/GPS ANTENNA

Antenna LTE/GPS Mounting PUCK, RG316/3m, open end

AO-AKOM-3603

SECTRON company offers a wide portfolio of LTE/GPS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Anti-vandal design
- High frequency range

Technology	LTE/GPS
Frequency bands	800/900/1700/1900/2100/1575.42 MHz
Bandwidth	-
Gain	2 dBi
VSWR	<2.0: 1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear/R.H.C.P.
Maximum input power	10 W
Power voltage	-
Dimensions	Ø54.4 x 28.7 mm
Weight	152.84 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Mounting
Cable type	RG316/U
The cable length	3 m
Connector type	Open end

DRAWING



Unit: mm

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021