



GSM/GPS/GLONASS ANTENNA

Antenna GSM/GPS/GLONASS

Adhesive R40, RG174/10cm/SMA(m),
2x Cable Extension SMA f/m RG195/10m

AO-AKOM-40SS10


SECTRON company offers a wide portfolio of GSM/GPS/GLONASS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.



BENEFITS

- Compact design
- Environmental resistance
- Easy installation

| | |
|--------------------------------|--|
| Technology | GSM/GPS/GLONASS |
| Frequency bands | 800/900/1700/1800/2100/2700/1575.42/1602 MHz |
| Bandwidth | - |
| Gain | 0 dBi |
| LNA Gain | 27 dBi |
| VSWR | <2.0:1 |
| Impedance | 50 Ohm |
| Directivity | Omnidirectional |
| Beam angle | H 360° V 30° |
| Polarization | Linear |
| Maximum input power | 10 W |
| Power voltage | - |
| Dimensions | Ø71 x 12 mm |
| Weight | 640.5 g |
| Operating temperature | -20 to +60 °C |
| Execution | External |
| Method of attachment | Adhesive |
| Cable type | 2x RG174 |
| Cable length | 0.1 m |
| Connector type | SMA(m) |
| Extension cable type | 2x RG195 |
| Extension cable length | 10 m |
| Extension cable connector type | SMA(f)/SMA(m) |
| Certification | ISO 9001/ISO 14001 |



VARIANTS

Different connector variants or cable lengths are available on request.

CONTACTS