

Antenna Java Modem GLONASS & Bluetooth RFID & G Antenna Java Modem GLONASS & Oden Bluetooth M2M C LTE F Rout

WIFI/GPS ANTENNA

Antenna WiFi/GPS Mounting R36, RG316/5m, RG174/5m, open end

AO-AKOMWP-36

SECTRON company offers a wide portfolio of WiFi/GPS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Low VSWR
- Anti-vandal design

Technology	WiFi/GPS
Frequency bands	2400/5800/1575.42 MHz
Bandwidth	-
Gain	2/30 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	R.H.C.P
Maximum input power	10W
Power voltage	3 – 5.5 V DC
Dimensions	54.7 x 23.3 mm
Weight	172.4 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Mounting
Cable type	RG174/U / RG316/U
The cable length	2 x 5 m
Connector type	Open end

DRAWING



Different connector variants or cable lengths are available on request.

CONTACTS

WWW.SECTRON.CZ Tel.: +420 556 621 021