



# Antenna LTE

Antenna LTE Connector Mount FLAT G913L,  
90°/180°, 5 dBi, SMA(m)

AO-ALTE-G913L

SECTRON company offers a wide portfolio of GSM/UMTS/LTE antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




## BENEFITS

- High frequency range
- Compact design
- No cable required


Technology	GSM/UMTS/LTE
Frequency bands	700/800/900/1700/1800/1900/2100/2400/2600/2700 MHz
Bandwidth	-
Gain	5 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	172 x 18 x 13 mm / 149 x 36.6 x 13 mm (90°)
Weight	22.55 g
Operating temperature	-10 to +50 °C
Execution	External
Method of attachment	Connector Mount
Cable type	-
The cable length	-
Connector type	SMA(m)

## DRAWING




UNIT: mm


Standing wave ratio – SWR [-] (45°)



Standing wave ratio – SWR [-] (90°)



Standing wave ratio – SWR [-] (180°)



## VARIANTS

---

AO-ALTE-G913L

Different connector variants or cable lengths are available on request.

## CONTACTS

---

SECTRON s.r.o. Josefa Šavla 1271/12  
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
Tel.: +420 556 621 020