



UMTS/GSM ANTENNA

Antenna UMTS/GSM

Magnetic 825, 7 dBi, SMA(m),
RG58/3m

AO-AUMTS-G825S

SECTRON company offers a wide portfolio of UMTS/GSM antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS


- Low VSWR
- High gain
- Easy installation

Technology	GSM/UMTS
Frequency bands	800/900/1700/1800/1900/2100 MHz
Bandwidth	-
Gain	7 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	∅ 70.2 x 675 mm
Weight	348 g
Operating temperature	-40 °C to +85 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG58/U
The cable length	3 m
Connector type	SMA(m)

DRAWING



Unit: mm



ALL VARIANTS

AO-AUMTS-G825S

Different connector variants or cable lengths are available on request.

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021