



GPS Antenna

Antenna GPS Magnetic EA-200,
SMA(m), RG174/5m

AP-A20S-M5

SECTRON company offers a wide portfolio of GPS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- High performance GPS
- Water-resistant and weatherproof
- Firm magnetic attachment


Technology	GPS
Frequency bands	1575.42 MHz
Bandwidth	-
Gain	27 dBi
VSWR	<2.0:1
Impedance	50 Ohm
Directivity	Directional
Beam angle	H 360° V 30°
Polarization	R.H.C.P.
Maximum input power	10 W
Power voltage	2.5-5.5 V DC
Dimensions	38.2 x 34.2 x 12.6 mm
Weight	73.39 g
Operating temperature	-40 to +90 °C
Execution	External
Method of attachment	Magnetic
Cable type	RG174/U
The cable length	5 m
Connector type	SMA(m)

DRAWING



UNIT: mm

Radiation Pattern (without LNA)



Different connector variants or cable lengths are available on request.

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021