



## GPS ANTENNA

Antenna GPS Mounting 32,  
FME(m), RG174/5m

AP-AGPS-CAPF

SECTRON company offers a wide portfolio of GPS antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




### BENEFITS

- Low VSWR
- High gain
- Environmental resistance

Technology	GPS
Frequency bands	1575.42 MHz
Bandwidth	10 MHz
Gain	30 dBi
VSWR	<1.5:1
Impedance	50 Ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	R.H.C.P.
Maximum input power	10 W
Power voltage	2.7 - 5.5 V
Dimensions	53 x 38.4 x 30 mm
Weight	132.15 g
Operating temperature	-30 to +90 °C
Execution	External
Method of attachment	Mounting
Cable type	RG174/U
The cable length	5 m
Connector type	FME(m)

DRAWING



Different connector variants or cable lengths are available on request.

## CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12  
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ  
Tel.: +420 556 621 021