

n GLONASS ≤ Bluetooth RFID S GSM Wi-Fi C LTE → GSM Wi-Fi S Antenna Io Router S Antenna IoT Antenna Java M Wi-Fi G GPS Router M enna IoT B GLONASS UMTS S enna Java Modem GLONASS ≤ Odem GLONASS etooth M2M G LTE → Router LTE

## WI-FI ANTENNA

Antenna WLAN, internal, FPC series 42x7x0.15, Flexi, 2.4/5 GHz, IPEX 1.130D/200mm

AW-A2458G-FPC71I200

SECTRON company offers a wide portfolio of WIFI antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




## BENEFITS

- Easy installation
- Flexible

Technology	WLAN
Frequency bands	2.4/5 GHz
Bandwidth	-
Gain	2/3 dBi
VSWR	<2.2:1
Impedance	50 Ohm
Directivity	Directional
Beam angle	-
Polarization	Linear
Maximum input power	10 W
Power voltage	-
Dimensions	42 x 7 mm
Weight	0.75 g
Operating temperature	-30 to +90 °C
Execution	Internal
Method of attachment	Adhesive
Cable type	Hirose 068
The cable length	0.2 m
Connector type	IPEX

## DRAWING



Different connector variants or cable lengths are available on request.

## CONTACTS

WWW.SECTRON.CZ Tel.: +420 556 621 021