

Wi-Fi ANTENNA

Antenna WiFi Internal W414, 2.4/5.8 GHz, 3 dBi, IPEX MHF-4, 1.13 Coaxial Cable/300mm

AW-A2458G-W414I4

SECTRON company offers a wide portfolio of Wi-Fi antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees a compatible connection between an antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Low VSWR
- Environmentally friendly

FEATURES AW-A2458G-W414I4


Technology	Wi-Fi
Frequency bands	2400/5800 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<1.2:1/<2.0:1
Impedance	50 Ohm
Directivity	Omni-directional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	5 W
Power voltage	-
Dimensions	60 x 15 x 0.6 mm
Weight	1.84 g
Operating temperature	-40 to +85 °C
Execution	Internal
Method of attachment	Patch
Cable type	RF 1.13
The cable length	0.3 m
Connector type	IPEX-MHF4 (f)
Certification	RoHS

DRAWING




SIMULATED GRAFS AW-A2458G-W414I4

Horizontal plane




Vertical plane



VSWR – Voltage standing wave ratio - measured

VSWR AW-A2458G-W414



Frequency(600 - 3000 MHz) Resolution: 521

Cal: ON

WWW.SECTRON.CZ

Tel.: +420 556 621 020

IIM: OFF Keysight

SN: CN0132000230

CONTACTS

Date: 2019/05/03

Time: 09:10