

dem GLONASS & Bluetooth RFID & G A G LTE A GSM Wi-Fi Z Ar s & Router Z Antenna lot Ante etooth RFID & RF cables GSM Mi-Fi & GPS Router M2 S & Wi-Fi & GPS Router M2 Antenna lot B GLONASS UMTS & Oden Antenna Java Modem GLONASS & oden Bluetooth M2M G LTE & Rout

WIFI ANTENNA

Antenna WiFi Stick 90°/180° 402, 3 dBi, SMA-RP(f)

AW-A24G-W402SRP

SECTRON company offers a wide portfolio WIFI antennas with various versions differing in shape, level of gain and manner of attachment. SECTRON guarantees compatible connection between an antenna and all antenna adaptors produced by SECTRON.




ρ


BENEFITS

- Low VSWR
- No cable required
- Adjustable angle

Technology	WIFI
Frequency bands	2.4 MHz
Bandwidth	-
Gain	3 dBi
VSWR	<2.0: 1
Impedance	50 Oh
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Linear
Maximum input power	10W
Power voltage	-
Dimensions	90°: 85.7 x 33.2 x Ø10, 180°: 108.5 x Ø10 mm
Weight	10.13 g
Operating temperature	-40 to +85 °C
Execution	External
Method of attachment	Screw
Cable type	-
The cable length	-
Connector type	SMA-RP(pin f)

DRAWING





CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12 709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ Tel.: +420 556 621 021